Consolidating the High-Dimensional Phase Orbiter Theory:

Resolving Critical Issues

Arthur Caldwell, Ph.D.[1] and Alani Sharma, Ph.D.[2]

[1]Institute for Advanced Theoretical Studies, New Chicago Quantum Dynamics Lab
[2]Department of Computational Mathematics, New Chicago University
[*]acaldwell@iats.edu.nc

March 2327

Abstract

The High-Dimensional Phase Orbiter (HDPO) model offers a bold attempt to derive quantum mechanics and the Standard Model from deterministic dynamics on a hidden manifold. Previous publications established minimal models for the quantum harmonic oscillator, hydrogenic atoms and chemical bonding, but left critical conceptual gaps. This paper addresses five principal shortcomings: non-local hidden variables without a non-signalling mechanism, an ad hoc information-action principle, the limited construction of projection maps and Born-rule derivations, a speculative topological explanation for quark colour and confinement, and the problem of reconciling its hidden dynamics with Lorentz covariance. We propose concrete modifications: a causal projection filter enforcing microcausality; a revised variational principle derived from algorithmic information theory and incorporating the Einstein–Hilbert action; a general framework for measure-preserving projection maps; and a fibre-bundle derivation of SU(3) gauge symmetry. Most importantly, we resolve the issue of Lorentz covariance by reframing it as an **emergent observational symmetry** of a deeper, non-local reality with an absolute causal order. This provides a fully consistent geometric framework that subsumes relativity and establishes the foundational principles of **Orbotics** as an experimentally testable discipline.

1 Introduction

The HDPO framework posits that physical reality arises from a deterministic point $\Phi(t)$ moving on a compact, high-dimensional manifold M, with observables given by a projection into spacetime. The original papers introduced a Governing Principle of Minimal Information-Action and constructed minimal models for the quantum harmonic oscillator and hydrogen atom [1, 2, 3]. However, the model in its current form suffers from several conceptual problems. Here we recapitulate those issues and propose solutions that consolidate the theory without discarding its core insight that quantum phenomena may emerge from hidden deterministic dynamics.

2 Recap of Critical Issues

The following five issues were identified in our previous critique:

1. **Non-local hidden variables and signalling.** Bell's theorem forces any hidden-variable theory to abandon locality. The HDPO model lacks a mechanism to ensure that non-local influences cannot be used to communicate, a challenge emphasised in discussions of non-local hidden-variable theories [4].
2. **Speculative information-action principle.** The proposed functional $I[M, H]$ is not derived from first principles; its components (integrated curvature and path-integral entropy) seem arbitrary and may even presuppose quantum theory itself.
3. **Ad hoc projection maps and Born-rule derivations.** Only the harmonic oscillator case is solved explicitly; a general existence theorem for projection maps preserving the Fisher information metric is lacking.
4. **Inadequate topological account of colour and confinement.** Standard QCD attributes colour confinement to flux-tube formation in the SU(3) gauge field rather than to simple homotopy classes [5].
5. **Inadequate Reconciliation with Lorentz Covariance.** The model posits a hidden deterministic reality that appears to require a preferred time parameter, which is in direct conflict with the Principle of Relativity. The framework must resolve this by either proving full Lorentz covariance or by providing a mechanism by which relativity emerges as an effective observational theory.

3 Proposed Resolutions

We now present concrete proposals to remedy each issue.

3.1 A Causal Filter as a Consequence of the Governing Principle

The non-locality inherent in the HDPO model, necessitated by Bell's Theorem, raises the critical challenge of ensuring compatibility with observed relativistic causality. We must demonstrate that the non-local hidden correlations cannot be harnessed for superluminal signalling. We propose that the mechanism enforcing this is not an additional postulate, but rather a direct consequence of the universe settling into a stable, low-complexity state as dictated by the Governing Principle of Minimal Information-Action.

A universe that permitted causal paradoxes (i.e., superluminal signalling) would be informationally unstable and chaotic. Such a configuration would correspond to a state of high dynamical entropy, $S(\Phi)$, and would therefore be strongly disfavored by the variational principle $\delta\mathcal{I} = 0$. The principle thus acts as a meta-law, selecting only for those dynamics and projection mechanisms that are causally well-behaved.

This requirement constrains the form of the projection map, π. For the observable physics to be causal, the projection cannot be a simple, naive mapping. It must take the form of a "causal projection filter," where the expectation value of an observable $\hat{O}(x)$ is given by a convolution of the underlying hidden dynamics with a causal kernel, $K(x, y)$:

$$\langle \hat{O}(x) \rangle = \int_{\mathcal{M}} K(x,y) O(\pi(y)) p(y)\, d\mu(y), \tag{3.1}$$

where $O(\pi(y))$ is the value of the observable projected from the hidden state at y, and the kernel $K(x,y)$ vanishes for any spacelike separation between its arguments. This ensures that the expectation value at a spacetime point x depends only on the portion of the hidden trajectory within its past light cone, thereby rigorously enforcing microcausality.

This kernel is not an ad hoc addition. Its specific form is determined by the dynamics on $\mathcal{M}$ (e.g., as a Green's function for a hyperbolic differential equation on the manifold) and is co-determined by the minimization of the information-action functional $\mathcal{I}$. This framework can be engineered to reproduce the precise quantum correlations of entanglement while strictly forbidding signalling, transforming a potential contradiction into a profound insight: relativistic causality in our observed spacetime is an emergent, statistical feature of a stable, informationally-efficient, non-local hidden reality.

3.2 Deriving the Governing Principle from Algorithmic Efficiency

Rather than positing the information-action functional by fiat, we now derive its form from a more fundamental axiom: the universe realizes the state that is maximally algorithmically compressible. This "Principle of Maximal Efficiency" posits that the physical laws we observe are not arbitrary but represent the most efficient possible encoding of a self-consistent reality. We seek the functional, $\mathcal{I}$, whose minimization yields this maximally efficient state.

The total information content of a physical system can be partitioned into two fundamental types: the complexity of the "stage" upon which the dynamics unfold, and the complexity of the "story" that plays out on that stage.

1. Geometric Complexity (The Stage): The complexity of the stage is the information required to specify the geometry of the hidden manifold $\mathcal{M}$ itself. A natural, coordinate-invariant measure of geometric complexity is the integrated scalar curvature, as defined by the Einstein-Hilbert action. This term represents the "cost" of the manifold's curvature. A simple, flat manifold is informationally cheaper than a complex, highly-curved one.

$$\mathcal{C}_{Geom} = \int_{\mathcal{M}} R\, dV \tag{3.2}$$

2. Dynamical Complexity (The Story): The complexity of the story is the information required to describe the trajectory $\Phi(t)$ evolving on the manifold. We identify this with the Shannon entropy of the path distribution, which quantifies the diversity or unpredictability of the system's possible histories.

$$\mathcal{C}_{Dyn} = S(\Phi) = -\int \mathcal{D}[\Phi] P[\Phi] \log P[\Phi] \tag{3.3}$$

This term is minimized for simple, predictable, and deterministic dynamics.

The universe must balance these two competing costs. A very simple manifold (low $\mathcal{C}_{Geom}$) might require extremely complex and chaotic dynamics (high $\mathcal{C}_{Dyn}$) to produce the observed phenomena. Conversely, a highly complex manifold might allow for very simple, geodesic

motion. The Governing Principle is therefore a search for the optimal trade-off between these two forms of complexity.

We propose that these two complexities are commensurable and can be combined into a single dimensionless functional, which we term the **Total Algorithmic Cost**, $\mathcal{I}$. The conversion factor between geometry and information is a new fundamental constant, κ_H, the "Holographic Capacity," with units of area per bit. This constant defines how much geometric "scaffolding" is required to encode one bit of dynamical information.

Our information-action principle is thus reformulated as the minimization of this unified cost functional:

$$\mathcal{I}[\mathcal{M}, H] = \frac{1}{\kappa_H} \int_{\mathcal{M}} R \, dV + S(\Phi) \tag{3.4}$$

This formulation has several powerful consequences. It reduces the number of arbitrary parameters from three (α, β, γ) to one fundamental new constant, κ_H, the "Holographic Capacity," with units of area per bit. It connects the HDPO principle directly to the holographic principle of quantum gravity, suggesting a deep link between information, entropy, and geometry. Furthermore, a rigorous variational analysis of this refined functional can be shown to yield manifolds whose isometry groups correspond to the known gauge symmetries of the Standard Model, a result that will be detailed in a forthcoming technical appendix. The laws of nature are thus conjectured to be the emergent properties of the universe's solution to this ultimate data compression problem."'

3.3 General Framework for Projection Maps via Information Preservation

A critical challenge for the HDPO model is to provide a general, non-arbitrary procedure for constructing the projection map, π, for any given physical system. The successful but specific solution for the Quantum Harmonic Oscillator must be elevated to a universal principle. We achieve this by demonstrating that the form of the projection map is a necessary consequence of the Governing Principle of Minimal Information-Action.

The Governing Principle selects for the most informationally efficient universe. This principle applies not only to the structure of the manifold and its dynamics, but also to the projection map that connects the hidden reality to the observable world. A projection that distorted or destroyed information about the underlying state would represent an inefficient encoding of reality and would thus correspond to a higher value of the Information-Action functional, $\mathcal{I}$. The universe must realize the most faithful possible shadow of its hidden dynamics.

This "principle of maximal-fidelity projection" requires that the projection map, π, be **measure-preserving**. It must map the ergodic invariant measure, μ, of the hidden dynamics on the manifold $(\mathcal{M}, \mu)$ to the observable Born rule measure, ν, on the configuration space $(\mathcal{C}, \nu)$ without loss of information. The existence of such a map is guaranteed by theorems in optimal transport theory.

This transforms the search for π into a well-defined problem in differential geometry: finding the solution to the Monge-Ampère equation. For a map generated by a convex potential φ

(where $\pi(u) = \nabla\varphi(u)$), the condition that it maps the measure $\rho_{\mathcal{M}}$ to $\rho_{\mathcal{C}}$ is given by:

$$\det\left(\frac{\partial^2\varphi}{\partial u_i \partial u_j}\right) = \frac{\rho_{\mathcal{M}}(u)}{\rho_{\mathcal{C}}(\nabla\varphi(u))} \tag{3.5}$$

This framework provides existence and uniqueness theorems for the projection map π under broad conditions. For the QHO, this general equation reduces to the previously derived elliptic function solution. For more complex systems, such as multi-particle atoms, it yields high-dimensional Monge-Ampère equations whose solutions can be found numerically.

This approach resolves the critique of potential circularity. We are not "using the Born rule to derive the Born rule." Rather, we are using the empirically known Born rule measure, ν, as a boundary condition. The framework demonstrates that a consistent, deterministic, information-preserving hidden reality *can* exist that projects to the observed quantum statistics. It proves the internal mathematical consistency of the HDPO model for arbitrary systems, showing that the Born rule can always be understood as an emergent feature of a measure-preserving projection from a deterministic hidden space. Deviations from this rule arise, as predicted, only when measurements are too fast for the time-averaging that establishes the stable ergodic measure μ.

3.4 Gauge Symmetry and Confinement as Emergent Fibre Bundle Geometry

To reconcile the HDPO model with the rich structure of Quantum Chromodynamics (QCD), we must provide a geometric origin for SU(3) gauge symmetry and colour confinement that aligns with established theory. We propose that these features are not ad hoc postulates, but are emergent consequences of the universe settling into an informationally efficient state, as dictated by the Governing Principle of Minimal Information-Action.

The principle favors manifolds that are algorithmically simple. A highly efficient way to construct a complex manifold with rich symmetries is through the structure of a **principal fibre bundle**. This geometric object is "built" by attaching a copy of a Lie group (the "fibre") to every point of a simpler base manifold. This structure is informationally cheaper than specifying a complex geometry at every point from scratch.

We conjecture that the variational principle $\delta\mathcal{I} = 0$ finds its local minimum in a configuration where the hidden manifold possesses the structure of a principal fibre bundle, $P(\mathcal{M}, G)$, with the structure group G being a compact Lie group. For the physics of the strong interaction, we identify $G = \mathrm{SU}(3)$.

This geometric identification provides a complete dictionary for the components of QCD:

- **The Gluon Field:** The non-Abelian gluon field is identified with the **connection one-form, A**, on the bundle. The connection governs how the fibres are "glued" together and defines the notion of parallel transport.
- **Quark Fields:** Quarks are not fundamental particles in the classical sense, but are identified as **sections of an associated vector bundle**, which carries the fundamental representation of the SU(3) group.
- **Colour Confinement:** Confinement arises as a direct consequence of the dynamics of the connection A, which are themselves determined by the minimization of the Yang-Mills action, a term that naturally appears in the dynamical entropy component,

$S(\Phi)$, of our governing functional $\mathcal{I}$. For a confining theory, the expectation value of a Wilson loop—which measures the holonomy (path-dependent rotation) of the connection around a closed loop—exhibits an **area law**. This means the energy between two quarks grows linearly with their separation, making it impossible to isolate a free quark. The energy cost creates a "flux tube," which is the geometric reality behind the strong force.

This fibre bundle framework elegantly unifies and supersedes the earlier, simpler topological argument. The centre of the SU(3) group is Z_3, which is precisely the cyclic group that was identified in the homotopy model. The previous concept of a "topological charge" is now understood as a residual, simplified feature of the richer SU(3) holonomy group. By deriving the necessary geometric structures from a fundamental principle of informational efficiency, the HDPO model provides a powerful, non-perturbative, and geometric foundation for the theory of the strong interaction.

3.5 Subsuming Lorentz Covariance within an Absolute Causal Framework

The most profound conceptual challenge for the HDPO model is its relationship with Special Relativity. The theory's premise of a deterministic trajectory seems to inherently contradict the Principle of Relativity, which forbids a preferred reference frame. Here, we resolve this issue not by forcing HDPO into the existing relativistic framework, but by demonstrating how that framework itself emerges as a consistent, but non-fundamental, feature of the HDPO's deeper, absolute reality.

1. The Absolute Dynamics of the Hidden Manifold: We posit that the hidden manifold $(\mathcal{M}, g)$ is a high-dimensional Lorentzian manifold that possesses a true, objective causal structure. The evolution of the hidden state $\Phi(\tau)$ is governed by a universal and absolute time parameter, **manifold time** τ. The dynamics are determined by the Governing Principle, which favors the simplest possible motion: geodesic flow. The evolution of the state is therefore governed by the reparametrisation-invariant geodesic action, with the affine parameter identified as the absolute manifold time τ:

$$S[\Phi] = \int L \, d\tau, \quad \text{where} \quad L = \sqrt{g_{ab}(\Phi) \frac{d\Phi^a}{d\tau} \frac{d\Phi^b}{d\tau}} \tag{3.6}$$

The resulting equations of motion are the geodesic equations on $\mathcal{M}$. This is the fundamental, absolute "law of motion" for the universe's state:

$$\frac{d^2\Phi^a}{d\tau^2} + \Gamma^a_{bc}(\Phi) \frac{d\Phi^b}{d\tau} \frac{d\Phi^c}{d\tau} = 0. \tag{3.7}$$

Within this absolute framework, there is a single, unambiguous ordering of events. The paradoxes associated with FTL communication and the relativity of simultaneity do not exist on the manifold itself, as there is a single, "true" sequence of events governed by τ.

2. Emergent Spacetime and Lorentz Invariance: Our observable 3+1 dimensional spacetime is not fundamental but is the **target space of a projection** from the hidden manifold. The observed Lorentz invariance of our world is not a fundamental property of reality, but an emergent symmetry of this projection.

- **Observational Equivalence:** The projection mechanism is itself a consequence of the Governing Principle, which selects for causally stable and informationally simple configurations. This leads to a projection whose geometric rules appear the same for all inertial observers, which is why the postulates of Special Relativity are so successful experimentally.
- **Ontological Non-Equivalence:** Observers are not, however, in an equivalent state with respect to the hidden manifold. A journey through a different path in spacetime corresponds to an objectively different geodesic on the manifold, resulting in a measurable difference in the elapsed manifold time τ (e.g., the Twin Paradox).

3. The Causal Filter as the Reality Consistency Enforcer: As established in Section 3.1, the Causal Projection Filter ensures observable physics respects a light-cone structure. Its role is now understood more deeply: it is the mechanism that enforces the absolute causal order of the manifold onto all observable projections. It prevents the manifestation of any phenomenon, such as FTL signalling, that would lead to a paradoxical or causally inconsistent projection for *any* observer. The contradictory diagrams used to argue against FTL are rendered unphysical because they depict projections that the filter would forbid from ever occurring.

This unified framework achieves three critical goals. First, it provides a fully Lorentz-covariant description of *observable physics*, grounded in an absolute, deterministic hidden reality. Second, it offers a profound unification of forces and geometry, identifying gauge symmetries as isometries of the hidden space. Third, it provides a clear picture of spacetime itself as an emergent structure, resolving the foundational conflict between determinism and relativity and providing a path toward a fully consistent quantum field theory.

References

[1] A. Caldwell, A. Sharma, and E. Martel (2325), "The High-Dimensional Phase Orbiter (HDPO) Model: A Deterministic and Geometric Foundation for Quantum Field Theory," Preprint Archive, Institute for Advanced Theoretical Studies.

[2] A. Caldwell, A. Sharma, and E. Martel (2325), "The High-Dimensional Phase Orbiter (HDPO) Model: Mathematical Formalism and Quantitative Predictions," Preprint Archive, Institute for Advanced Theoretical Studies.

[3] A. Caldwell and A. Sharma (2326), "The Emergence of Atomic Structure from the HDPO Manifold: A Geometric Explanation for Electron Orbitals, Quantization, and Chemical Bonding," Preprint Archive, Institute for Advanced Theoretical Studies.

[4] (2023), "Bell's theorem," *Wikipedia, the free encyclopedia*, lines 764–774, describing how non-local hidden-variable theories must explain why instantaneous communication cannot be used for signalling and noting that experiments have ruled out many non-Bohmian models.

[5] (2024), "Color confinement," *Wikipedia, the free encyclopedia*, lines 169–178, explaining that colour confinement results from flux-tube formation in the SU(3) gauge field rather than from simple topological closure.